
animation Documentation

Release 0.0.2

Blake Printy

December 10, 2016

1	Content:	1
1.1	Installation	1
1.2	Usage	1
1.3	API	2
2	Indices and tables	5

Content:

1.1 Installation

1.1.1 Through pip

```
$ pip install animation
```

1.1.2 Via GitHub

```
$ git clone http://github.com/bprinty/animation.git
$ cd animation
$ python setup.py install
```

1.2 Usage

The animation module provides decorators for doing terminal-based wait animations. To add a wait animation to a function that requires some processing time, simply decorate the function with the wait animation you want to use.

Here is an example of how to use it in a project:

```
import animation
import time

@animation.simple_wait
def long_running_function():
    ... 5 seconds later ...
    return
```

This will print an animated waiting message like this (the elipses at the end of the text grow and shrink while the function executes):

```
waiting ...
```

The animation types provided by default are:

- bar (simple bar that slides back and forth)
- spinner (a spinning line)
- dots (dots that move around in a square)

- elipses (elipses that grow and shrink)
- text with elipses (elipses with text in front of them)

And you can use any of these built-in animations like so:

```
import animation
import time

@animation.wait('bar')
def long_running_function():
    ... 5 seconds later ...
    return

@animation.wait('spinner')
def long_running_function():
    ... 5 seconds later ...
    return
```

In addition to these default types, the module also supports custom animations. For example, to create an animation with a counter-clockwise spinning wheel:

```
wheel = ('-', '/', '|', '\\')
@animation.wait(wheel)
def long_running_function():
    ... 5 seconds later ...
    return
```

If you want to manually start and stop the wait animation, you can use the `animation.Wait` class:

```
wait = animation.Wait()
wait.start()
long_running_function()
wait.stop()
```

1.2.1 Questions/Feedback

File an issue in the [GitHub issue tracker](#).

1.3 API

`animation.simple_wait` (*func*)

Decorator for adding simple text wait animation to long running functions.

Examples

```
>>> @animation.simple_wait
>>> def long_running_function():
>>>     ... 5 seconds later ...
>>>     return
```

`animation.wait` (*animation='elipses', speed=0.2*)

Decorator for adding wait animation to long running functions.

Parameters

- **animation** (*str*, *tuple*) – String reference to animation or tuple with custom animation.
- **speed** (*float*) – Number of seconds each cycle of animation.

Examples

```
>>> @animation.wait('bar')
>>> def long_running_function():
>>>     ... 5 seconds later ...
>>>     return
```

class animation.**Wait** (*animation*='elipses', *text*='waiting', *speed*=0.2)

Class for managing wait animations.

Parameters

- **animation** (*str*, *tuple*) – String reference to animation or tuple with custom animation.
- **text** (*str*) – Optional text to print before animation.
- **speed** (*float*) – Number of seconds each cycle of animation.

Examples

```
>>> animation = Wait()
>>> animation.start()
>>> long_running_function()
>>> animation.stop()
```

start ()

Start animation thread.

stop ()

Stop animation thread.

Indices and tables

- `genindex`
- `modindex`
- `search`

S

`simple_wait()` (in module `animation`), [2](#)
`start()` (`animation.Wait` method), [3](#)
`stop()` (`animation.Wait` method), [3](#)

W

`Wait` (class in `animation`), [3](#)
`wait()` (in module `animation`), [2](#)